APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office APR 2 4 1991	
Returned to applicant for correction JUN 1 7 1991	
Corrected application filed JUN 2 4 1991	
Map filed JUN 2 4 1991	
·	
The applicant Burns Brothers, Inc.	
621 Southeast Union Ave. , of Portland Street and No. or P.O. Box No. City or Town	
Oregon 97214 , hereby make. application for permission to appropriate the State and Zip Code No.	
waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporat	ion; if a
copartnership or association, give names of members.) An Oregon corporation; Articles of Incorporation filed with the Oregon Secretary of State October 18, 1946. articles also filed with the Nevada Secretary of State on April 1, 1981.	Said
1. The source of the proposed appropriation is underground Name of stream, lake, spring, underground or other source	
2. The amount of water applied for is	ond-feet
(a) If stored in reservoir give number of acre-feet	
3. The water to be used for <u>commercial purposes</u> Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.	
4. If use is for:	
(a) Irrigation, state number of acres to be irrigated	
(b) Stockwater, state number and kinds of animals to be watered	
(c) Other use (describe fully under No. 12. "Remarks"	
(d) Power:	
(1) Horsepower developed	,,
(2) Point of return of water to stream	
5. The water is to be diverted from its source at the following point within the NE 1/4 NW 1/4 of Se Describe as being within a 40-acre subdivision	ction
33. T. 33N R. 35E., M.D.B. &M. or at a point from which the West & corner survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.	
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.	
6. Place of use portions of the West 3 of Section 33, T. 33N., R. 35E., M.D.B. & Describe by legal subdivision. If on unsurveyed land, it should be so stated.	м.,
Describe by legal subdivision. If on unsurveyed land, it should be so stated. Specifically: NE 1/2 NW 1/2 Section 33, T.33N., R35E., MDB&M, NW 1/2 NW 1/2 Section	
T.33N., R35E., MDB&M, SE NW Section 33, T.33N., R35E., MDB&M, SW NW	
Section 33, T.33N., R35E., MDB&M, NW1 SW1 Section 33, T.33N., R35E., MDB	
7. Use will begin about	
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit pl	ans and
specifications of your diversion or storage works.)drill_well_install_submersible_pum State manner in which water is to be diverted, i.e. diversion structure,	
storage tank and distribution system	

9.	Estimated cost of works
10.	Estimated time required to construct works. 3 years If well completed, describe works.
	If well completed, describe works.
11.	Estimated time required to complete the application of water to beneficial use
12.	Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:
	This request is for supplementary water to serve a motel, restaurant, bar a
	casino complex with 50 motel units, 130 restaurant seats, 74 seats in the
	lounge, and 11 trucker showers. Annual consumptive use is estimated to be
	10.95 million gallons. Desert-Mountain, Inc. as agent By Robert N. Caldwell, P.L.S., S.W. S/ Robert N. Caldwell
	By S/ Robert N. Caldwell 146 West Second Street
Con	npared am/nsm am/se Winnemucca, NV 89445
	ested
110	
	APPROVAL OF STATE ENGINEER
sha	ht must allow for a reasonable lowering of the static water level. This well ll be equipped with a two (2) inch opening for measuring depth to water. If the
sha wel tot poi ben beg wit ret tim	ht must allow for a reasonable lowering of the static water level. This well be equipped with a two (2) inch opening for measuring depth to water. If the is flowing, a valve must be installed and maintained to prevent waste. The alizing meter must be installed and maintained in the discharge pipeline near the states of diversion and accurate measurements must be kept of water placed the efficial use. The totalizing meter must be installed before any use of water ins, or before the Proof of Completion of Work is filed. This source is located hin an area designated by the State Engineer, pursuant to NRS 534.030. The States ains the right to regulate the use of the water herein granted at any and alles.
sha wel tot poi ben beg wit ret tim pub	ht must allow for a reasonable lowering of the static water level. This well be equipped with a two (2) inch opening for measuring depth to water. If the is flowing, a valve must be installed and maintained to prevent waste. The alizing meter must be installed and maintained in the discharge pipeline near the of diversion and accurate measurements must be kept of water placed the efficial use. The totalizing meter must be installed before any use of water ins, or before the Proof of Completion of Work is filed. This source is located him an area designated by the State Engineer, pursuant to NRS 534.030. The State ains the right to regulate the use of the water herein granted at any and alies. This permit does not extend the permittee the right of ingress and egress of lic, private or corporate lands. NTINUED ON PAGE 2)
sha wel tot poi ben beg wit ret tim pub (CO	the must allow for a reasonable lowering of the static water level. This well be equipped with a two (2) inch opening for measuring depth to water. If the is flowing, a valve must be installed and maintained to prevent waste. The alizing meter must be installed and maintained in the discharge pipeline near the near the of diversion and accurate measurements must be kept of water placed the eficial use. The totalizing meter must be installed before any use of water ins, or before the Proof of Completion of Work is filed. This source is located in an area designated by the State Engineer, pursuant to NRS 534.030. The State ains the right to regulate the use of the water herein granted at any and all es. This permit does not extend the permittee the right of ingress and egress of lic, private or corporate lands. NTINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to
shawel tot poi ben beg wit ret tim pub (CO) The	the must allow for a reasonable lowering of the static water level. This well be equipped with a two (2) inch opening for measuring depth to water. If the is flowing, a valve must be installed and maintained to prevent waste. The alizing meter must be installed and maintained in the discharge pipeline near the near the of diversion and accurate measurements must be kept of water placed the efficial use. The totalizing meter must be installed before any use of water ins, or before the Proof of Completion of Work is filed. This source is located him an area designated by the State Engineer, pursuant to NRS 534.030. The State ains the right to regulate the use of the water herein granted at any and all es. This permit does not extend the permittee the right of ingress and egress of lic, private or corporate lands. NOTINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to each of the content of the conten
sha well tot poi ben beg wit ret tim pub (CO)	the must allow for a reasonable lowering of the static water level. This well be equipped with a two (2) inch opening for measuring depth to water. If the is flowing, a valve must be installed and maintained to prevent waste. Alizing meter must be installed and maintained in the discharge pipeline near the near that of diversion and accurate measurements must be kept of water placed the ficial use. The totalizing meter must be installed before any use of water ins, or before the Proof of Completion of Work is filed. This source is located in an area designated by the State Engineer, pursuant to NRS 534.030. The State ains the right to regulate the use of the water herein granted at any and all ess. This permit does not extend the permittee the right of ingress and egress of lic, private or corporate lands. NTINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to ed. 0.046
sha well tot poi ben beg wit ret tim pub (CO) The exce	the must allow for a reasonable lowering of the static water level. This well be equipped with a two (2) inch opening for measuring depth to water. If the is flowing, a valve must be installed and maintained to prevent waste. alizing meter must be installed and maintained in the discharge pipeline near the near that of diversion and accurate measurements must be kept of water placed the efficial use. The totalizing meter must be installed before any use of watering, or before the Proof of Completion of Work is filed. This source is located in an area designated by the State Engineer, pursuant to NRS 534.030. The State ains the right to regulate the use of the water herein granted at any and all es. This permit does not extend the permittee the right of ingress and egress of lic, private or corporate lands. NTINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to ed. 0.046 cubic feet per second, but not to exceed 8.96 million gallons annually. k must be prosecuted with reasonable diligence and be completed on or before. December 16, 1993
sha well tot poi ben beg wit tim pub (CO. The exce	the must allow for a reasonable lowering of the static water level. This well be equipped with a two (2) inch opening for measuring depth to water. If the static is flowing, a valve must be installed and maintained to prevent waste. Alizing meter must be installed and maintained in the discharge pipeline near that of diversion and accurate measurements must be kept of water placed the efficial use. The totalizing meter must be installed before any use of water ins, or before the Proof of Completion of Work is filed. This source is located in an area designated by the State Engineer, pursuant to NRS 534.030. The State ains the right to regulate the use of the water herein granted at any and all est. This permit does not extend the permittee the right of ingress and egress of the permit does not extend the permittee the right of ingress and egress of the permit does or corporate lands. NOTINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to ed. 0.046 cubic feet per second, but not to exceed 8.96 willion gallons annually. k must be prosecuted with reasonable diligence and be completed on or before. December 16, 1993 of of completion of work shall be filed before. January 16, 1994
sha well tot poi ben beg wit ret tim pub (CO) The excee Wor Proc App	the must allow for a reasonable lowering of the static water level. This well be equipped with a two (2) inch opening for measuring depth to water. If the list flowing, a valve must be installed and maintained to prevent waste. The salizing meter must be installed and maintained in the discharge pipeline near the number of diversion and accurate measurements must be kept of water placed the efficial use. The totalizing meter must be installed before any use of water ins, or before the Proof of Completion of Work is filed. This source is located in an area designated by the State Engineer, pursuant to NRS 534.030. The State ains the right to regulate the use of the water herein granted at any and all ess. This permit does not extend the permittee the right of ingress and egress of lic, private or corporate lands. NITINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to ed. 0.046 cubic feet per second, but not to exceed 8.96 willion gallons annually. k must be prosecuted with reasonable diligence and be completed on or before. December 16, 1993 of of completion of work shall be filed before. December 16, 1994 lication of water to beneficial use shall be filed on or before. December 16, 1996 lication of water to beneficial use shall be filed on or before. December 16, 1996 lication of water to beneficial use shall be filed on or before. December 16, 1996 lication of water to beneficial use shall be filed on or before. December 16, 1996 lication of water to beneficial use shall be filed on or before. December 16, 1996 lication of water to beneficial use shall be filed on or before.
sha well tot poi ben beggwitten pub (CO) The exce	the must allow for a reasonable lowering of the static water level. This well be equipped with a two (2) inch opening for measuring depth to water. If the lis flowing, a valve must be installed and maintained to prevent waste. The salizing meter must be installed and maintained in the discharge pipeline near the of diversion and accurate measurements must be kept of water placed the efficial use. The totalizing meter must be installed before any use of water ins, or before the Proof of Completion of Work is filed. This source is locate him an area designated by the State Engineer, pursuant to NRS 534.030. The State ains the right to regulate the use of the water herein granted at any and all es. This permit does not extend the permittee the right of ingress and egress of lic, private or corporate lands. NTINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to ed. 0.046 cubic feet per second, but not to exceed 8.96 million gallons annually. k must be prosecuted with reasonable diligence and be completed on or before. December 16, 1993 of of completion of work shall be filed before. December 16, 1996 December 16, 1997 of of the application of water to beneficial use shall be filed on or before. December 16, 1997
sha well tot poi ben beg wit ret tim pub (CO) The exce Wor Proc App Proc Map	the must allow for a reasonable lowering of the static water level. This well libe equipped with a two (2) inch opening for measuring depth to water. If the list flowing, a valve must be installed and maintained to prevent waste. alizing meter must be installed and maintained in the discharge pipeline near the not of diversion and accurate measurements must be kept of water placed the efficial use. The totalizing meter must be installed before any use of water ins, or before the Proof of Completion of Work is filed. This source is locate whin an area designated by the State Engineer, pursuant to NRS 534.030. The Statians the right to regulate the use of the water herein granted at any and alles. This permit does not extend the permittee the right of ingress and egress of lic, private or corporate lands. NTINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to ed. 0.046 cubic feet per second, but not to exceed 8.96 million gallons annually. k must be prosecuted with reasonable diligence and be completed on or before. December 16, 1993 of of completion of water to beneficial use shall be filed on or before. December 16, 1996 of of the application of water to beneficial use shall be filed on or before. January 16, 1997 In support of proof of beneficial use shall be filed on or before. N/A
sha well to	nt must allow for a reasonable lowering of the static water level. This well be equipped with a two (2) inch opening for measuring depth to water. If the lis flowing, a valve must be installed and maintained to prevent waste. alizing meter must be installed and maintained in the discharge pipeline near that of diversion and accurate measurements must be kept of water placed the efficial use. The totalizing meter must be installed before any use of water installed installed before any use of water sins, or before the Proof of Completion of Work is filed. This source is locate him an area designated by the State Engineer, pursuant to NRS 534.030. The State ains the right to regulate the use of the water herein granted at any and all est. This permit does not extend the permittee the right of ingress and egress of lic, private or corporate lands. NNTINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to ed. 0.046 cubic feet per second, but not to exceed 8.26 cuillion gallons annually. k must be prosecuted with reasonable diligence and be completed on or before. December 16, 1993 of of completion of work shall be filed on or before. January 16, 1997 of the application of water to beneficial use shall be filed on or before. January 16, 1997 of the application of beneficial use shall be filed on or before. N/A Peteron of work filed. IN TESTIMONY WHEREOF, I. R. MICHAEL TURNIPSEED, P. State Engineer of Nevada, have hercunto set my hand and the seal of my
sha well tot poi ben beggwit ret tim pub (CO. The exceedada App Proceda App Pr	nt must allow for a reasonable lowering of the static water level. This well be equipped with a two (2) inch opening for measuring depth to water. If the list flowing, a valve must be installed and maintained to prevent waste. Alizing meter must be installed and maintained in the discharge pipeline near that of diversion and accurate measurements must be kept of water placed the efficial use. The totalizing meter must be installed before any use of water sins, or before the Proof of Completion of Work is filed. This source is locate him an area designated by the State Engineer, pursuant to NRS 534.030. The State ains the right to regulate the use of the water herein granted at any and all ess. This permit does not extend the permittee the right of ingress and egress of lic, private or corporate lands. NTINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to ed. 0.046 cubic feet per second, but not to exceed 8.96 million gallons annually. k must be prosecuted with reasonable diligence and be completed on or before. December 16, 1993 of of completion of work shall be filed before. January 16, 1997 of of the application of water to beneficial use shall be filed on or before. December 16, 1997 of of the application of vater to beneficial use shall be filed on or before. N/A IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P., State Engineer of Nevada, have hercunto set my hand and the seal of my office, this 16th. day of. December
sha well tot poi ben beg wit ret tim pub (CO) The exce Wor Proc App Proc Map Com Culture	alizing meter must be installed and maintained in the discharge pipeline near the not of diversion and accurate measurements must be kept of water placed the efficial use. The totalizing meter must be installed before any use of water installed installed. This source is located installed in the regulate the proof of Completion of Work is filed. This source is located hin an area designated by the State Engineer, pursuant to NRS 534.030. The State ains the right to regulate the use of the water herein granted at any and all est. This permit does not extend the permittee the right of ingress and egress of lic, private or corporate lands. NTINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to ed. 0.046 cubic feet per second, but not to exceed 8.96 million gallons annually. k must be prosecuted with reasonable diligence and be completed on or before. December 16, 1993 of of completion of work shall be filed before. January 16, 1994 lication of water to beneficial use shall be filed on or before. December 16, 1996 of of the application of water to beneficial use shall be filed on or before. December 16, 1997 In support of proof of beneficial use shall be filed on or before. N/A IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P. State Engineer of Nevada, have hereunto set my hand and the seal of my for beneficial use filed.

(O)-2145 (Rev. 9-89)

(PERMIT TERMS CONTINUED)

The issuance of this permit does not waive the requirements that the permit

holder obtain other permits from State, Federal and local agencies.

This permit is issued under the provisions of NRS 534.120(2) as a preferred use. The total combined duty of water under Permits 44273, 44275, 50621 and 55227 shall not exceed 8.96 million gallons annually.

